

COMBINED AXIAL TABLE /5 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.33	3.02	4.42	5.55	7.94	2.84	3.95	6.00	7.47	10.4	3.04	4.39	6.95	8.63	12.0	3.18	4.64	7.11	9.29	13.5
	16	2.33	3.02	4.42	5.55	7.94	2.84	3.95	6.00	7.47	10.4	3.04	4.39	6.95	8.63	12.0	3.18	4.64	7.11	9.29	13.5
	24	2.33	3.02	4.42	5.55	7.94	2.84	3.95	6.00	7.47	10.4	3.04	4.39	6.95	8.63	12.0	3.18	4.64	7.11	9.29	13.5
8 [2]	12	2.87	3.70	5.96	7.35	10.1	3.20	4.58	7.50	9.26	12.7	3.40	4.94	8.10	10.7	14.6	3.53	5.20	8.30	10.6	16.1
	16	2.87	3.70	5.96	7.35	10.1	3.20	4.58	7.50	9.26	12.7	3.40	4.94	8.10	10.7	14.6	3.53	5.20	8.30	10.6	16.1
	24	2.87	3.70	5.96	7.35	10.1	3.20	4.58	7.50	9.26	12.7	3.40	4.94	8.10	10.7	14.6	3.53	5.20	8.30	10.6	16.1
9 [2]	12	2.66	3.43	5.31	6.57	9.04	3.02	4.28	6.74	8.33	11.4	3.22	4.66	7.57	9.59	13.2	3.36	4.92	7.69	9.94	14.9
	16	2.66	3.43	5.31	6.57	9.04	3.02	4.28	6.74	8.33	11.4	3.22	4.66	7.57	9.59	13.2	3.36	4.92	7.69	9.94	14.9
	24	2.66	3.43	5.31	6.57	9.04	3.02	4.28	6.74	8.33	11.4	3.22	4.66	7.57	9.59	13.2	3.36	4.92	7.69	9.94	14.9
10 [2]	12	2.44	3.15	4.68	5.80	8.04	2.84	3.96	5.99	7.40	10.2	3.03	4.37	6.89	8.53	11.7	3.17	4.62	7.06	9.20	13.3
	16	2.44	3.15	4.68	5.80	8.04	2.84	3.96	5.99	7.40	10.2	3.03	4.37	6.89	8.53	11.7	3.17	4.62	7.06	9.20	13.3
	24	2.36	3.15	4.68	5.80	8.04	2.82	3.96	5.99	7.40	10.2	3.03	4.37	6.89	8.53	11.7	3.17	4.62	7.06	9.20	13.3
12 [3]	12	2.30	2.97	4.27	5.27	7.20	2.67	3.66	5.31	6.55	8.95	2.86	4.10	6.13	7.57	10.4	2.99	4.35	6.49	8.42	11.8
	16	2.14	2.97	4.27	5.27	7.20	2.57	3.66	5.31	6.55	8.95	2.85	4.10	6.13	7.57	10.4	2.99	4.35	6.49	8.42	11.8
	24	1.80	2.66	4.27	5.27	7.20	2.19	3.42	5.31	6.55	8.95	2.47	3.97	6.13	7.57	10.4	2.68	4.35	6.49	8.42	11.8
14 [3]	12	1.72	2.44	3.24	4.01	5.52	2.13	3.07	4.05	5.00	6.84	2.40	3.53	4.69	5.80	7.94	2.60	3.77	5.31	6.56	9.01
	16	1.53	2.23	3.24	4.01	5.52	1.91	2.87	4.05	5.00	6.84	2.17	3.40	4.69	5.80	7.94	2.37	3.76	5.31	6.56	9.01
	24	1.19	1.86	3.05	4.01	5.52	1.51	2.45	3.98	5.00	6.84	1.76	2.94	4.67	5.80	7.94	1.95	3.29	5.31	6.56	9.01
16 [3]	12	1.23	1.79	2.49	3.09	4.28	1.57	2.32	3.11	3.84	5.27	1.81	2.75	3.60	4.45	6.11	1.99	3.13	4.07	5.04	6.93
	16	1.04	1.59	2.44	3.09	4.28	1.35	2.09	3.11	3.84	5.27	1.57	2.50	3.60	4.45	6.11	1.75	2.86	4.07	5.04	6.93
	24	0.73	1.25	2.14	2.87	4.27	0.98	1.69	2.81	3.73	5.27	1.17	2.06	3.32	4.40	6.11	1.33	2.39	3.81	5.04	6.93
Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.63	3.40	5.12	6.41	9.12	3.13	4.40	6.87	8.54	11.9	3.35	4.83	7.86	9.88	13.7	3.50	5.10	7.97	10.3	15.5
	16	2.63	3.40	5.12	6.41	9.12	3.13	4.40	6.87	8.54	11.9	3.35	4.83	7.86	9.88	13.7	3.50	5.10	7.97	10.3	15.5
	24	2.63	3.40	5.12	6.41	9.12	3.13	4.40	6.87	8.54	11.9	3.35	4.83	7.86	9.88	13.7	3.50	5.10	7.97	10.3	15.5
8 [2]	12	3.17	4.10	6.76	8.34	11.4	3.49	4.99	8.40	10.4	14.3	3.70	5.36	8.92	11.8	16.4	3.84	5.63	9.12	11.6	17.7
	16	3.17	4.10	6.76	8.34	11.4	3.49	4.99	8.40	10.4	14.3	3.70	5.36	8.92	11.8	16.4	3.84	5.63	9.12	11.6	17.7
	24	3.17	4.10	6.76	8.34	11.4	3.49	4.99	8.40	10.4	14.3	3.70	5.36	8.92	11.8	16.4	3.84	5.63	9.12	11.6	17.7
9 [2]	12	2.97	3.84	6.12	7.57	10.4	3.33	4.73	7.68	9.50	13.1	3.53	5.11	8.34	10.9	15.0	3.67	5.37	8.55	10.9	16.5
	16	2.97	3.84	6.12	7.57	10.4	3.33	4.73	7.68	9.50	13.1	3.53	5.11	8.34	10.9	15.0	3.67	5.37	8.55	10.9	16.5
	24	2.97	3.84	6.12	7.57	10.4	3.33	4.73	7.68	9.50	13.1	3.53	5.11	8.34	10.9	15.0	3.67	5.37	8.55	10.9	16.5
10 [2]	12	2.76	3.57	5.49	6.80	9.42	3.15	4.43	6.94	8.59	11.8	3.36	4.84	7.86	9.86	13.6	3.50	5.10	7.96	10.3	15.3
	16	2.76	3.57	5.49	6.80	9.42	3.15	4.43	6.94	8.59	11.8	3.36	4.84	7.86	9.86	13.6	3.50	5.10	7.96	10.3	15.3
	24	2.76	3.57	5.49	6.80	9.42	3.15	4.43	6.94	8.59	11.8	3.36	4.84	7.86	9.86	13.6	3.50	5.10	7.96	10.3	15.3
12 [3]	12	2.65	3.42	5.12	6.33	8.66	3.00	4.17	6.31	7.80	10.7	3.20	4.59	7.24	8.95	12.3	3.34	4.85	7.42	9.65	13.9
	16	2.61	3.42	5.12	6.33	8.66	3.00	4.17	6.31	7.80	10.7	3.20	4.59	7.24	8.95	12.3	3.34	4.85	7.42	9.65	13.9
	24	2.25	3.26	5.12	6.33	8.66	2.67	4.13	6.31	7.80	10.7	2.97	4.59	7.24	8.95	12.3	3.19	4.85	7.42	9.65	13.9
14 [3]	12	2.16	2.93	4.06	5.02	6.92	2.61	3.59	5.04	6.23	8.54	2.85	4.05	5.80	7.17	9.86	2.99	4.30	6.29	8.09	11.1
	16	1.95	2.80	4.06	5.02	6.92	2.37	3.55	5.04	6.23	8.54	2.65	4.05	5.80	7.17	9.86	2.87	4.30	6.29	8.09	11.1
	24	1.57	2.39	3.98	5.02	6.92	1.95	3.10	5.04	6.23	8.54	2.22	3.64	5.80	7.17	9.86	2.43	4.01	6.29	8.09	11.1
16 [3]	12	1.60	2.31	3.14	3.89	5.40	2.01	2.94	3.90	4.83	6.64	2.27	3.47	4.50	5.57	7.67	2.47	3.75	5.08	6.29	8.67
	16	1.39	2.08	3.14	3.89	5.40	1.76	2.69	3.90	4.83	6.64	2.02	3.19	4.50	5.57	7.67	2.21	3.55	5.08	6.29	8.67
	24	1.03	1.69	2.82	3.76	5.40	1.34	2.24	3.68	4.83	6.64	1.57	2.70	4.32	5.57	7.67	1.76	3.04	4.93	6.29	8.67
Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	24	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
8 [2]	12	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	24	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
9 [2]	12	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	16	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	24	3.74	4.86	8.24	10.2	13.9															

COMBINED AXIAL TABLE / 15 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.33	3.02	4.42	5.55	7.94	2.84	3.95	6.00	7.47	10.4	3.04	4.39	6.95	8.63	12.0	3.18	4.64	7.11	9.29	13.5
	16	2.17	3.02	4.42	5.55	7.94	2.72	3.95	6.00	7.47	10.4	3.00	4.39	6.95	8.63	12.0	3.18	4.64	7.11	9.29	13.5
	24	1.75	2.68	4.42	5.55	7.94	2.24	3.69	6.00	7.47	10.4	2.53	4.24	6.95	8.63	12.0	2.73	4.61	7.11	9.29	13.5
8 [2]	12	2.87	3.70	5.96	7.35	10.1	3.20	4.58	7.50	9.26	12.7	3.40	4.94	8.10	10.7	14.6	3.53	5.20	8.30	10.6	16.1
	16	2.62	3.70	5.96	7.35	10.1	3.03	4.58	7.50	9.26	12.7	3.33	4.94	8.10	10.7	14.6	3.53	5.20	8.30	10.6	16.1
	24	2.10	3.22	5.96	7.35	10.1	2.49	4.21	7.50	9.26	12.7	2.79	4.74	8.10	10.7	14.6	3.01	5.12	8.30	10.6	16.1
9 [2]	12	2.43	3.43	5.31	6.57	9.04	2.87	4.28	6.74	8.33	11.4	3.16	4.66	7.57	9.59	13.2	3.36	4.92	7.69	9.94	14.9
	16	2.12	3.15	5.31	6.57	9.04	2.53	4.11	6.74	8.33	11.4	2.83	4.64	7.57	9.59	13.2	3.04	4.92	7.69	9.94	14.9
	24	1.55	2.56	5.05	6.57	9.04	1.92	3.45	6.72	8.33	11.4	2.21	3.97	7.57	9.59	13.2	2.42	4.35	7.69	9.94	14.9
10 [2]	12	1.99	2.93	4.68	5.80	8.04	2.42	3.83	5.99	7.40	10.2	2.71	4.37	6.89	8.53	11.7	2.91	4.62	7.06	9.20	13.3
	16	1.65	2.58	4.66	5.80	8.04	2.05	3.44	5.99	7.40	10.2	2.33	3.97	6.89	8.53	11.7	2.54	4.34	7.06	9.20	13.3
	24	1.05	1.95	4.04	5.47	8.04	1.39	2.71	5.48	7.32	10.2	1.65	3.22	6.44	8.53	11.7	1.85	3.59	6.80	9.20	13.3
12 [3]	12	1.36	2.19	3.93	5.19	7.20	1.70	2.89	5.12	6.55	8.95	1.97	3.41	6.01	7.57	10.4	2.17	3.77	6.49	8.42	11.8
	16	0.98	1.77	3.52	4.75	7.06	1.27	2.42	4.66	6.23	8.95	1.52	2.91	5.49	7.33	10.4	1.71	3.26	6.00	8.32	11.8
	24	0.31	1.05	2.81	3.98	6.18	0.53	1.60	3.87	5.38	8.20	0.74	2.03	4.60	6.38	10.0	0.91	2.36	5.07	7.28	11.7
14 [3]	12	0.76	1.39	2.62	3.55	5.32	1.02	1.92	3.49	4.67	6.84	1.24	2.36	4.13	5.52	7.94	1.41	2.68	4.74	6.35	9.01
	16	0.39	0.99	2.25	3.15	4.86	0.60	1.46	3.07	4.22	6.39	0.78	1.86	3.65	5.01	7.80	0.93	2.15	4.22	5.79	9.01
	24	0.30	0.30	1.61	2.45	4.05	0.68	2.35	3.45	5.50	5.50	0.99	0.99	2.84	4.14	6.86	0.12	1.24	3.31	4.82	8.08
16 [3]	12	0.33	0.81	1.75	2.45	3.78	0.51	1.19	2.38	3.27	4.95	0.67	1.51	2.83	3.88	6.03	0.80	1.80	3.26	4.47	6.93
	16	0.44	1.41	2.09	3.36	0.11	0.77	2.01	2.87	4.48	0.24	1.04	2.40	3.42	5.54	0.35	1.29	2.79	3.97	6.49	
	24	0.84	1.47	2.63	0.11	1.37	2.18	3.68	0.25	1.68	2.64	4.69	0.42	1.98	3.11	5.57	0.42	1.98	3.11	5.57	
Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.63	3.40	5.12	6.41	9.12	3.13	4.40	6.87	8.54	11.9	3.35	4.83	7.86	9.88	13.7	3.50	5.10	7.97	10.3	15.5
	16	2.58	3.40	5.12	6.41	9.12	3.13	4.40	6.87	8.54	11.9	3.35	4.83	7.86	9.88	13.7	3.50	5.10	7.97	10.3	15.5
	24	2.16	3.21	5.12	6.41	9.12	2.69	4.34	6.87	8.54	11.9	3.00	4.83	7.86	9.88	13.7	3.22	5.10	7.97	10.3	15.5
8 [2]	12	3.17	4.10	6.76	8.34	11.4	3.49	4.99	8.40	10.4	14.3	3.70	5.36	8.92	11.8	16.4	3.84	5.63	9.12	11.6	17.7
	16	3.08	4.10	6.76	8.34	11.4	3.49	4.99	8.40	10.4	14.3	3.70	5.36	8.92	11.8	16.4	3.84	5.63	9.12	11.6	17.7
	24	2.57	3.82	6.76	8.34	11.4	2.97	4.88	8.40	10.4	14.3	3.29	5.36	8.92	11.8	16.4	3.51	5.63	9.12	11.6	17.7
9 [2]	12	2.89	3.84	6.12	7.57	10.4	3.33	4.73	7.68	9.50	13.1	3.53	5.11	8.34	10.9	15.0	3.67	5.37	8.55	10.9	16.5
	16	2.58	3.75	6.12	7.57	10.4	3.01	4.73	7.68	9.50	13.1	3.32	5.11	8.34	10.9	15.0	3.54	5.37	8.55	10.9	16.5
	24	2.00	3.15	6.12	7.57	10.4	2.40	4.15	7.68	9.50	13.1	2.71	4.68	8.34	10.9	15.0	2.93	5.07	8.55	10.9	16.5
10 [2]	12	2.44	3.52	5.49	6.80	9.42	2.90	4.43	6.94	8.59	11.8	3.20	4.84	7.86	9.86	13.6	3.41	5.10	7.96	10.3	15.3
	16	2.09	3.16	5.49	6.80	9.42	2.53	4.13	6.94	8.59	11.8	2.83	4.68	7.86	9.86	13.6	3.04	5.07	7.96	10.3	15.3
	24	1.47	2.51	5.06	6.77	9.42	1.85	3.40	6.75	8.59	11.8	2.14	3.93	7.78	9.86	13.6	2.35	4.32	7.96	10.3	15.3
12 [3]	12	1.78	2.76	4.97	6.33	8.66	2.16	3.58	6.31	7.80	10.7	2.45	4.13	7.24	8.95	12.3	2.67	4.52	7.42	9.65	13.9
	16	1.37	2.32	4.52	6.03	8.66	1.71	3.08	5.89	7.79	10.7	1.99	3.61	6.87	8.95	12.3	2.20	3.99	7.28	9.65	13.9
	24	0.64	1.54	3.72	5.18	7.93	0.92	2.21	5.01	6.86	10.4	1.17	2.69	5.89	8.05	12.3	1.36	3.06	6.30	8.93	13.9
14 [3]	12	1.09	1.88	3.48	4.67	6.92	1.41	2.52	4.57	6.06	8.54	1.66	3.01	5.35	7.10	9.86	1.86	3.37	5.94	8.09	11.1
	16	0.68	1.43	3.04	4.20	6.40	0.95	2.01	4.08	5.55	8.32	1.17	2.47	4.81	6.52	9.86	1.35	2.80	5.36	7.49	11.1
	24	0.65	2.30	3.39	5.46	0.15	1.14	3.25	4.65	7.29	0.33	1.52	3.87	5.52	8.95	0.47	1.82	4.36	6.38	10.5	
16 [3]	12	0.58	1.19	2.37	3.27	5.00	0.82	1.67	3.18	4.31	6.48	1.02	2.08	3.75	5.08	7.67	1.18	2.39	4.30	5.84	8.67
	16	0.19	0.76	1.98	2.85	4.51	0.37	1.19	2.74	3.85	5.94	0.54	1.54	3.26	4.55	7.24	0.67	1.82	3.76	5.25	8.43
	24	1.31	2.12	3.66	0.36	2.00	3.04	5.00	0.63	2.41	3.64	6.26	0.63	2.41	3.64	6.26	0.86	2.82	4.25	7.36	
Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	24	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
8 [2]	12	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	24	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
9 [2]	12	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	16	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	24	3.61	4.86	8.24	10.2	13.9	4.09	5.85	10.4	12.8											

COMBINED AXIAL TABLE / 20 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.17	3.02	4.42	5.55	7.94	2.72	3.95	6.00	7.47	10.4	3.00	4.39	6.95	8.63	12.0	3.18	4.64	7.11	9.29	13.5
	16	1.89	2.82	4.42	5.55	7.94	2.40	3.85	6.00	7.47	10.4	2.68	4.39	6.95	8.63	12.0	2.88	4.64	7.11	9.29	13.5
	24	1.36	2.28	4.34	5.55	7.94	1.79	3.22	6.00	7.47	10.4	2.07	3.76	6.95	8.63	12.0	2.27	4.12	7.11	9.29	13.5
8 [2]	12	2.62	3.70	5.96	7.35	10.1	3.03	4.58	7.50	9.26	12.7	3.33	4.94	8.10	10.7	14.6	3.53	5.20	8.30	10.6	16.1
	16	2.27	3.39	5.96	7.35	10.1	2.67	4.40	7.50	9.26	12.7	2.96	4.92	8.10	10.7	14.6	3.18	5.20	8.30	10.6	16.1
	24	1.62	2.73	5.66	7.35	10.1	1.99	3.66	7.50	9.26	12.7	2.28	4.19	8.10	10.7	14.6	2.50	4.58	8.30	10.6	16.1
9 [2]	12	2.12	3.15	5.31	6.57	9.04	2.53	4.11	6.74	8.33	11.4	2.83	4.64	7.57	9.59	13.2	3.04	4.92	7.69	9.94	14.9
	16	1.73	2.75	5.24	6.57	9.04	2.12	3.66	6.74	8.33	11.4	2.41	4.19	7.57	9.59	13.2	2.62	4.57	7.69	9.94	14.9
	24	1.03	2.02	4.50	6.12	9.04	1.36	2.84	6.10	8.18	11.4	1.64	3.34	7.02	9.59	13.2	1.84	3.72	7.35	9.94	14.9
10 [2]	12	1.65	2.58	4.66	5.80	8.04	2.05	3.44	5.99	7.40	10.2	2.33	3.97	6.89	8.53	11.7	2.54	4.34	7.06	9.20	13.3
	16	1.24	2.15	4.24	5.68	8.04	1.60	2.95	5.71	7.40	10.2	1.87	3.46	6.69	8.53	11.7	2.07	3.83	7.05	9.20	13.3
	24	0.52	1.38	3.48	4.87	7.53	0.80	2.07	4.85	6.66	10.1	1.04	2.55	5.73	7.85	11.7	1.22	2.90	6.09	8.69	13.3
12 [3]	12	0.98	1.77	3.52	4.75	7.06	1.27	2.42	4.66	6.23	8.95	1.52	2.91	5.49	7.33	10.4	1.71	3.26	6.00	8.32	11.8
	16	0.52	1.28	3.03	4.22	6.46	0.77	1.86	4.12	5.64	8.51	0.99	2.31	4.88	6.68	10.4	1.16	2.64	5.36	7.61	11.8
	24	0.43	0.83	2.19	3.32	5.41	0.40	0.90	3.18	4.64	7.35	1.27	3.82	5.55	9.14	10.2	1.56	4.25	6.37	10.7	
14 [3]	12	0.39	0.99	2.25	3.15	4.86	0.60	1.46	3.07	4.22	6.39	0.78	1.86	3.65	5.01	7.80	0.93	2.15	4.22	5.79	9.01
	16	0.52	1.81	2.67	4.30	6.30	0.10	0.92	2.58	3.69	5.78	0.25	1.26	3.09	4.42	7.16	0.38	1.52	3.59	5.13	8.40
	24	0.36	1.06	1.86	3.35	5.35	0.11	0.77	2.01	2.87	4.48	0.24	1.04	2.40	3.42	5.54	0.35	1.29	2.79	3.97	6.49
16 [3]	12	0.44	1.41	2.09	3.36	5.36	0.11	0.77	2.01	2.87	4.48	0.24	1.04	2.40	3.42	5.54	0.35	1.29	2.79	3.97	6.49
	16	0.44	1.02	1.66	2.86	4.86	0.11	0.27	1.57	2.39	3.93	0.50	1.91	2.89	4.95	7.16	0.69	2.24	3.38	5.86	
	24	0.36	0.94	2.01	3.35	5.35	0.11	0.82	1.59	3.00	4.78	0.24	1.06	1.98	3.96	6.04	0.35	1.29	2.36	4.78	
Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.58	3.40	5.12	6.41	9.12	3.13	4.40	6.87	8.54	11.9	3.35	4.83	7.86	9.88	13.7	3.50	5.10	7.97	10.3	15.5
	16	2.30	3.35	5.12	6.41	9.12	2.85	4.40	6.87	8.54	11.9	3.15	4.83	7.86	9.88	13.7	3.37	5.10	7.97	10.3	15.5
	24	1.77	2.81	5.12	6.41	9.12	2.25	3.88	6.87	8.54	11.9	2.56	4.44	7.86	9.88	13.7	2.77	4.83	7.97	10.3	15.5
8 [2]	12	3.08	4.10	6.76	8.34	11.4	3.49	4.99	8.40	10.4	14.3	3.70	5.36	8.92	11.8	16.4	3.84	5.63	9.12	11.6	17.7
	16	2.73	3.99	6.76	8.34	11.4	3.15	4.99	8.40	10.4	14.3	3.46	5.36	8.92	11.8	16.4	3.68	5.63	9.12	11.6	17.7
	24	2.09	3.34	6.76	8.34	11.4	2.48	4.35	8.40	10.4	14.3	2.79	4.89	8.92	11.8	16.4	3.02	5.29	9.12	11.6	17.7
9 [2]	12	2.58	3.75	6.12	7.57	10.4	3.01	4.73	7.68	9.50	13.1	3.32	5.11	8.34	10.9	15.0	3.54	5.37	8.55	10.9	16.5
	16	2.19	3.34	6.12	7.57	10.4	2.60	4.36	7.68	9.50	13.1	2.91	4.89	8.34	10.9	15.0	3.13	5.29	8.55	10.9	16.5
	24	1.47	2.60	5.57	7.47	10.4	1.84	3.53	7.40	9.50	13.1	2.14	4.06	8.23	10.9	15.0	2.36	4.46	8.55	10.9	16.5
10 [2]	12	2.09	3.16	5.49	6.80	9.42	2.53	4.13	6.94	8.59	11.8	2.83	4.68	7.86	9.86	13.6	3.04	5.07	7.96	10.3	15.3
	16	1.67	2.72	5.27	6.80	9.42	2.07	3.63	6.94	8.59	11.8	2.36	4.17	7.86	9.86	13.6	2.58	4.56	7.96	10.3	15.3
	24	0.90	1.91	4.46	6.14	9.34	1.23	2.73	6.07	8.22	11.8	1.51	3.24	7.04	9.61	13.6	1.72	3.62	7.36	10.3	15.3
12 [3]	12	1.37	2.32	4.52	6.03	8.66	1.71	3.08	5.89	7.79	10.7	1.99	3.61	6.87	8.95	12.3	2.20	3.99	7.28	9.65	13.9
	16	0.87	1.78	3.97	5.45	8.23	1.17	2.49	5.28	7.15	10.7	1.43	2.98	6.20	8.38	12.3	1.63	3.35	6.61	9.27	13.9
	24	0.86	3.03	4.44	7.07	0.23	1.45	4.24	6.04	9.42	0.45	1.89	5.03	7.14	11.5	0.62	2.22	5.43	7.97	13.4	
14 [3]	12	0.68	1.43	3.04	4.20	6.40	0.95	2.01	4.08	5.55	8.32	1.17	2.47	4.81	6.52	9.86	1.35	2.80	5.36	7.49	11.1
	16	0.20	0.90	2.53	3.65	5.76	0.40	1.41	3.51	4.93	7.62	0.59	1.82	4.16	5.83	9.30	0.75	2.13	4.68	6.73	10.8
	24	0.19	1.66	2.70	4.65	0.39	2.53	3.88	6.40	0.71	3.06	4.65	8.01	0.96	3.49	5.42	0.96	3.49	5.42	9.43	
16 [3]	12	0.19	0.76	1.98	2.85	4.51	0.37	1.19	2.74	3.85	5.94	0.54	1.54	3.26	4.55	7.24	0.67	1.82	3.76	5.25	8.43
	16	0.26	1.52	2.35	3.92	0.62	2.23	3.29	5.30	0.92	2.68	3.93	6.57	1.16	3.12	4.56	1.16	3.12	4.56	7.70	
	24	0.74	1.50	2.93	3.92	0.62	1.36	2.35	4.20	0.92	2.68	3.93	6.57	1.16	3.12	4.56	1.16	3.12	4.56	7.70	
Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	24	3.19	4.29	6.84	8.38	11.1	3.82	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
8 [2]	12	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	24	3.70	5.06	8.76	10.8	14.8	4.16	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
9 [2]	12	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	16	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	24	3.17	4.70	8.24	10.2	13.9	3.65	5.85	10.4	12.8	17.6	3.99	6.28								

COMBINED AXIAL TABLE / 25 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.95	2.89	4.42	5.55	7.94	2.47	3.93	6.00	7.47	10.4	2.76	4.39	6.95	8.63	12.0	2.96	4.64	7.11	9.29	13.5
	16	1.62	2.54	4.42	5.55	7.94	2.09	3.53	6.00	7.47	10.4	2.37	4.08	6.95	8.63	12.0	2.57	4.44	7.11	9.29	13.5
	24	0.99	1.90	3.99	5.45	7.94	1.37	2.78	5.74	7.47	10.4	1.64	3.30	6.75	8.63	12.0	1.84	3.66	7.06	9.29	13.5
8 [2]	12	2.35	3.48	5.96	7.35	10.1	2.75	4.50	7.50	9.26	12.7	3.05	4.94	8.10	10.7	14.6	3.27	5.20	8.30	10.6	16.1
	16	1.94	3.05	5.96	7.35	10.1	2.32	4.02	7.50	9.26	12.7	2.62	4.55	8.10	10.7	14.6	2.83	4.94	8.30	10.6	16.1
	24	1.18	2.27	5.18	7.00	10.1	1.52	3.15	6.97	9.26	12.7	1.81	3.67	7.74	10.7	14.6	2.02	4.05	8.12	10.6	16.1
9 [2]	12	1.82	2.85	5.31	6.57	9.04	2.22	3.77	6.74	8.33	11.4	2.51	4.30	7.57	9.59	13.2	2.72	4.68	7.69	9.94	14.9
	16	1.37	2.37	4.86	6.49	9.04	1.73	3.24	6.51	8.33	11.4	2.01	3.76	7.46	9.59	13.2	2.22	4.13	7.69	9.94	14.9
	24	0.56	1.52	3.99	5.58	8.57	0.85	2.27	5.53	7.59	11.4	1.11	2.76	6.40	8.93	13.2	1.30	3.13	6.74	9.55	14.9
10 [2]	12	1.34	2.25	4.34	5.78	8.04	1.71	3.06	5.83	7.40	10.2	1.98	3.59	6.82	8.53	11.7	2.18	3.95	7.06	9.20	13.3
	16	0.87	1.75	3.85	5.26	7.97	1.18	2.49	5.26	7.09	10.2	1.44	2.99	6.19	8.33	11.7	1.63	3.35	6.56	9.19	13.3
	24		0.86	2.97	4.33	6.91	0.26	1.48	4.26	6.04	9.38	0.48	1.92	5.08	7.16	11.5	0.65	2.26	5.44	7.97	13.3
12 [3]	12	0.63	1.40	3.15	4.35	6.60	0.89	1.99	4.25	5.78	8.66	1.12	2.45	5.03	6.84	10.4	1.30	2.79	5.52	7.78	11.8
	16	0.12	0.83	2.59	3.75	5.91	0.31	1.36	3.63	5.12	7.90	0.51	1.77	4.33	6.09	9.72	0.66	2.08	4.78	6.97	11.4
	24		1.64	2.72	4.72			0.27	2.56	3.97	6.59		0.59	3.12	4.80	8.33		0.85	3.51	5.56	9.87
14 [3]	12		0.63	1.91	2.79	4.43	0.22	1.05	2.70	3.82	5.93	0.38	1.40	3.23	4.56	7.31	0.51	1.67	3.74	5.29	8.56
	16			1.42	2.25	3.81		0.44	2.14	3.22	5.23		0.73	2.59	3.88	6.58		0.96	3.04	4.53	7.77
	24			0.57	1.33	2.73			1.19	2.19	4.05			1.52	2.72	5.31			1.84	3.24	6.40
16 [3]	12		0.11	1.12	1.76	2.98		0.39	1.67	2.51	4.07		0.63	2.03	3.01	5.09		0.83	2.37	3.52	6.01
	16			0.68	1.28	2.41			1.18	1.97	3.44			1.47	2.41	4.43		0.16	1.74	2.85	5.30
	24			0.46	1.46				0.34	1.06	2.39			0.51	1.38	3.30			0.68	1.70	4.07
Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.37	3.40	5.12	6.41	9.12	2.92	4.40	6.87	8.54	11.9	3.23	4.83	7.86	9.88	13.7	3.44	5.10	7.97	10.3	15.5
	16	2.03	3.08	5.12	6.41	9.12	2.54	4.19	6.87	8.54	11.9	2.85	4.75	7.86	9.88	13.7	3.07	5.10	7.97	10.3	15.5
	24	1.39	2.43	4.91	6.41	9.12	1.83	3.44	6.87	8.54	11.9	2.13	3.99	7.86	9.88	13.7	2.34	4.37	7.97	10.3	15.5
8 [2]	12	2.82	4.08	6.76	8.34	11.4	3.23	4.99	8.40	10.4	14.3	3.54	5.36	8.92	11.8	16.4	3.76	5.63	9.12	11.6	17.7
	16	2.41	3.66	6.76	8.34	11.4	2.81	4.70	8.40	10.4	14.3	3.12	5.24	8.92	11.8	16.4	3.34	5.63	9.12	11.6	17.7
	24	1.64	2.87	6.29	8.34	11.4	2.01	3.84	8.29	10.4	14.3	2.32	4.39	8.92	11.8	16.4	2.55	4.79	9.12	11.6	17.7
9 [2]	12	2.28	3.44	6.12	7.57	10.4	2.70	4.47	7.68	9.50	13.1	3.01	5.00	8.34	10.9	15.0	3.23	5.37	8.55	10.9	16.5
	16	1.82	2.96	5.95	7.57	10.4	2.21	3.94	7.68	9.50	13.1	2.51	4.47	8.34	10.9	15.0	2.74	4.86	8.55	10.9	16.5
	24	0.97	2.08	5.04	6.91	10.4	1.31	2.96	6.81	9.21	13.1	1.60	3.48	7.62	10.7	15.0	1.82	3.87	8.02	10.9	16.5
10 [2]	12	1.77	2.83	5.38	6.80	9.42	2.18	3.76	6.94	8.59	11.8	2.47	4.30	7.86	9.86	13.6	2.69	4.69	7.96	10.3	15.3
	16	1.27	2.31	4.86	6.55	9.42	1.64	3.17	6.51	8.59	11.8	1.92	3.70	7.53	9.86	13.6	2.14	4.08	7.83	10.3	15.3
	24	0.39	1.37	3.91	5.55	8.68	0.67	2.11	5.45	7.57	11.6	0.93	2.60	6.36	8.89	13.6	1.12	2.97	6.69	9.57	15.3
12 [3]	12	0.99	1.91	4.10	5.59	8.39	1.30	2.63	5.43	7.31	10.7	1.57	3.13	6.36	8.55	12.3	1.77	3.51	6.77	9.45	13.9
	16	0.43	1.30	3.48	4.92	7.63	0.68	1.95	4.74	6.57	10.0	0.92	2.41	5.59	7.74	12.2	1.11	2.77	6.00	8.60	13.9
	24		0.24	2.41	3.76	6.30		0.76	3.55	5.30	8.57		1.16	4.26	6.31	10.6		1.46	4.63	7.09	12.4
14 [3]	12	0.31	1.02	2.65	3.78	5.91	0.53	1.55	3.65	5.08	7.79	0.73	1.97	4.32	6.00	9.47	0.89	2.29	4.84	6.91	11.0
	16		0.42	2.07	3.15	5.18		0.88	3.00	4.38	6.98		1.24	3.59	5.21	8.63	0.21	1.52	4.06	6.04	10.1
	24			1.09	2.08	3.93			1.90	3.19	5.60			2.34	3.87	7.16		0.20	2.71	4.56	8.51
16 [3]	12		0.38	1.63	2.47	4.06		0.76	2.35	3.42	5.45	0.11	1.07	2.82	4.08	6.73	0.22	1.32	3.27	4.73	7.87
	16			1.12	1.91	3.40		0.12	1.77	2.80	4.73		0.36	2.16	3.37	5.96		0.57	2.54	3.95	7.04
	24			0.24	0.95	2.28			0.79	1.73	3.49			1.05	2.17	4.64			1.30	2.61	5.61
Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	24	2.89	4.22	6.84	8.38	11.1	3.50	5.49	9.23	11.4	15.8	3.87	5.99	10.1	13.2	18.6	4.12	6.32	10.4	13.2	20.1
8 [2]	12	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	24	3.35	4.95	8.76	10.8	14.8	3.80	6.01	10.8	13.4	18.5	4.14	6.43	11.2	14.5	21.1	4.37	6.72	11.4	14.5	22.2
9 [2]	12	3.74	4.86	8.24	10.2	13.9	4.12	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	16	3.46	4.86	8.24	10.2	13.9	3.95	5.85	10.4	12.8	17.6	4.28	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	24	2.75	4.28	8.24	10.2	13.9	3.22	5.46	10.4	12.8	17.6	3.56	6.05	10.8	14.1	20.2	3.79	6.47	11.0	14.0	21.4
10 [2]	12	3.40	4.65	7.69	9.51	13.0	3.91	5.68	9.81	12.1	16.7	4.25	6.11	10.4	13.5	19.3	4.41	6			

COMBINED AXIAL TABLE / 30 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.75	2.68	4.42	5.55	7.94	2.24	3.69	6.00	7.47	10.4	2.53	4.24	6.95	8.63	12.0	2.73	4.61	7.11	9.29	13.5
	16	1.36	2.28	4.34	5.55	7.94	1.79	3.22	6.00	7.47	10.4	2.07	3.76	6.95	8.63	12.0	2.27	4.12	7.11	9.29	13.5
	24	0.64	1.54	3.66	5.11	7.94	0.97	2.35	5.34	7.27	10.4	1.23	2.86	6.31	8.56	12.0	1.42	3.21	6.62	9.29	13.5
8 [2]	12	2.10	3.22	5.96	7.35	10.1	2.49	4.21	7.50	9.26	12.7	2.79	4.74	8.10	10.7	14.6	3.01	5.12	8.30	10.6	16.1
	16	1.62	2.73	5.66	7.35	10.1	1.99	3.66	7.50	9.26	12.7	2.28	4.19	8.10	10.7	14.6	2.50	4.58	8.30	10.6	16.1
	24	0.76	1.83	4.73	6.53	9.90	1.07	2.66	6.46	8.78	12.7	1.35	3.17	7.22	10.3	14.6	1.56	3.55	7.60	10.5	16.1
9 [2]	12	1.55	2.56	5.05	6.57	9.04	1.92	3.45	6.72	8.33	11.4	2.21	3.97	7.57	9.59	13.2	2.42	4.35	7.69	9.94	14.9
	16	1.03	2.02	4.50	6.12	9.04	1.36	2.84	6.10	8.18	11.4	1.64	3.34	7.02	9.59	13.2	1.84	3.72	7.35	9.94	14.9
	24	0.12	1.05	3.51	5.08	8.01	0.37	1.74	5.00	7.03	10.8	0.61	2.21	5.82	8.31	13.2	0.79	2.57	6.16	8.92	14.9
10 [2]	12	1.05	1.95	4.04	5.47	8.04	1.39	2.71	5.48	7.32	10.2	1.65	3.22	6.44	8.53	11.7	1.85	3.59	6.80	9.20	13.3
	16	0.52	1.38	3.48	4.87	7.53	0.80	2.07	4.85	6.66	10.1	1.04	2.55	5.73	7.85	11.7	1.22	2.90	6.09	8.69	13.3
	24		0.39	2.49	3.82	6.33		0.93	3.72	5.47	8.73		1.34	4.47	6.52	10.8	0.11	1.66	4.82	7.30	12.6
12 [3]	12	0.31	1.05	2.81	3.98	6.18	0.53	1.60	3.87	5.38	8.20	0.74	2.03	4.60	6.38	10.0	0.91	2.36	5.07	7.28	11.7
	16		0.43	2.19	3.32	5.41		0.90	3.18	4.64	7.35		1.27	3.82	5.55	9.14	0.20	1.56	4.25	6.37	10.7
	24			1.14	2.18	4.09			2.00	3.37	5.89			2.49	4.12	7.59		0.20	2.84	4.81	9.07
14 [3]	12		0.30	1.61	2.45	4.05		0.68	2.35	3.45	5.50		0.99	2.84	4.14	6.86	0.12	1.24	3.31	4.82	8.08
	16			1.06	1.86	3.35			1.74	2.79	4.73		0.25	2.14	3.39	6.04		0.45	2.53	3.99	7.19
	24			0.13	0.85	2.17			0.69	1.65	3.42			0.95	2.11	4.64			1.20	2.56	5.67
16 [3]	12			0.84	1.47	2.63			1.37	2.18	3.68		0.25	1.68	2.64	4.69		0.42	1.98	3.11	5.57
	16			0.36	0.94	2.01			0.82	1.59	3.00			1.06	1.98	3.96			1.29	2.36	4.78
	24					0.96			0.59	1.83				0.84	2.71			0.12	1.10	3.42	

Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.16	3.21	5.12	6.41	9.12	2.69	4.34	6.87	8.54	11.9	3.00	4.83	7.86	9.88	13.7	3.22	5.10	7.97	10.3	15.5
	16	1.77	2.81	5.12	6.41	9.12	2.25	3.88	6.87	8.54	11.9	2.56	4.44	7.86	9.88	13.7	2.77	4.83	7.97	10.3	15.5
	24	1.03	2.06	4.56	6.25	9.12	1.42	3.01	6.51	8.54	11.9	1.71	3.55	7.58	9.88	13.7	1.93	3.93	7.84	10.3	15.5
8 [2]	12	2.57	3.82	6.76	8.34	11.4	2.97	4.88	8.40	10.4	14.3	3.29	5.36	8.92	11.8	16.4	3.51	5.63	9.12	11.6	17.7
	16	2.09	3.34	6.76	8.34	11.4	2.48	4.35	8.40	10.4	14.3	2.79	4.89	8.92	11.8	16.4	3.02	5.29	9.12	11.6	17.7
	24	1.21	2.43	5.83	7.92	11.4	1.56	3.36	7.78	10.4	14.3	1.87	3.90	8.49	11.8	16.4	2.09	4.30	8.88	11.6	17.7
9 [2]	12	2.00	3.15	6.12	7.57	10.4	2.40	4.15	7.68	9.50	13.1	2.71	4.68	8.34	10.9	15.0	2.93	5.07	8.55	10.9	16.5
	16	1.47	2.60	5.57	7.47	10.4	1.84	3.53	7.40	9.50	13.1	2.14	4.06	8.23	10.9	15.0	2.36	4.46	8.55	10.9	16.5
	24	0.51	1.59	4.53	6.38	9.88	0.82	2.41	6.25	8.63	13.1	1.09	2.92	7.03	10.1	15.0	1.30	3.31	7.44	10.5	16.5
10 [2]	12	1.47	2.51	5.06	6.77	9.42	1.85	3.40	6.75	8.59	11.8	2.14	3.93	7.78	9.86	13.6	2.35	4.32	7.96	10.3	15.3
	16	0.90	1.91	4.46	6.14	9.34	1.23	2.73	6.07	8.22	11.8	1.51	3.24	7.04	9.61	13.6	1.72	3.62	7.36	10.3	15.3
	24		0.85	3.39	5.00	8.06	0.15	1.53	4.87	6.96	10.9	0.38	2.00	5.72	8.21	13.2	0.57	2.36	6.05	8.88	15.3
12 [3]	12	0.64	1.54	3.72	5.18	7.93	0.92	2.21	5.01	6.86	10.4	1.17	2.69	5.89	8.05	12.3	1.36	3.06	6.30	8.93	13.9
	16		0.86	3.03	4.44	7.07	0.23	1.45	4.24	6.04	9.42	0.45	1.89	5.03	7.14	11.5	0.62	2.22	5.43	7.97	13.4
	24			1.84	3.15	5.59		0.13	2.92	4.62	7.79		0.49	3.55	5.55	9.80		0.76	3.90	6.28	11.6
14 [3]	12		0.65	2.30	3.39	5.46	0.15	1.14	3.25	4.65	7.29	0.33	1.52	3.87	5.52	8.95	0.47	1.82	4.36	6.38	10.45
	16			1.66	2.70	4.65		0.39	2.53	3.88	6.40		0.71	3.06	4.65	8.01		0.96	3.49	5.42	9.43
	24			0.57	1.51	3.27			1.32	2.56	4.88			1.69	3.16	6.39			2.00	3.77	7.67
16 [3]	12			1.31	2.12	3.66		0.36	2.00	3.04	5.00		0.63	2.41	3.64	6.26		0.86	2.82	4.25	7.36
	16			0.74	1.50	2.93			1.36	2.35	4.20			1.69	2.86	5.40			2.02	3.38	6.44
	24			0.45	1.69				0.28	1.18	2.84			0.47	1.54	3.94			0.65	1.91	4.86

Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	3.19	4.29	6.84	8.38	11.1	3.82	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	24	2.59	3.93	6.84	8.38	11.1	3.17	5.29	9.23	11.4	15.8	3.55	5.94	10.1	13.2	18.6	3.80	6.32	10.4	13.2	20.1
8 [2]	12	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.70	5.06	8.76	10.8	14.8	4.16	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	24	3.00	4.61	8.76	10.8	14.8	3.45	5.78	10.8	13.4	18.5	3.79	6.37	11.2	14.5	21.1	4.03	6.72	11.4	14.5	22.2
9 [2]	12	3.61	4.86	8.24	10.2	13.9	4.09	5.85	10.4	12.8	17.6	4.36	6.28	10.8	14.1	20.2	4.52	6.57	11.0	14.0	21.4
	16	3.17	4.70	8.24	10.2	13.9	3.65	5.85	10.4	12.8	17.6	3.99	6.28	10.8	14.1	20.2	4.22	6.57	11.0	14.0	21.4
	24	2.34	3.87	8.24	10.2	13.9	2.79	5.02	10.4	12.8	17.6	3.13	5.61	10.8	14.1	20.2	3.37	6.03	11.0	14.0	21.4
10 [2]	12	3.14	4.58	7.69	9.51	13.0	3.64	5.68	9.81	12.1	16.7	3.98	6.11	10.4	13.5	19.3	4.22	6.41	10.6	13.5	20.6
	16	2.63	4.07	7.69	9.51	13.0															

COMBINED AXIAL TABLE / 35 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.55	2.48	4.42	5.55	7.94	2.01	3.45	6.00	7.47	10.4	2.30	4.00	6.95	8.63	12.0	2.50	4.36	7.11	9.29	13.5
	16	1.11	2.03	4.11	5.55	7.94	1.51	2.92	5.87	7.47	10.4	1.78	3.45	6.91	8.63	12.0	1.98	3.81	7.11	9.29	13.5
	24	0.31	1.19	3.33	4.77	7.63	0.59	1.94	4.96	6.88	10.4	0.84	2.43	5.88	8.13	12.0	1.02	2.78	6.20	8.93	13.5
8 [2]	12	1.86	2.97	5.91	7.35	10.1	2.24	3.93	7.50	9.26	12.7	2.53	4.46	8.10	10.7	14.6	2.75	4.85	8.30	10.6	16.1
	16	1.32	2.42	5.34	7.17	10.1	1.67	3.32	7.14	9.26	12.7	1.96	3.84	7.92	10.7	14.6	2.18	4.23	8.30	10.6	16.1
	24	0.36	1.41	4.29	6.08	9.40	0.65	2.19	5.98	8.29	12.6	0.92	2.69	6.71	9.75	14.6	1.12	3.07	7.10	10.0	16.1
9 [2]	12	1.28	2.28	4.77	6.40	9.04	1.64	3.13	6.40	8.33	11.4	1.92	3.65	7.35	9.59	13.2	2.12	4.03	7.67	9.94	14.9
	16	0.71	1.68	4.16	5.75	8.77	1.01	2.45	5.72	7.78	11.4	1.28	2.95	6.61	9.15	13.2	1.48	3.32	6.94	9.76	14.9
	24		0.61	3.06	4.60	7.47		1.24	4.49	6.49	10.2	0.14	1.69	5.27	7.72	12.6	0.31	2.03	5.61	8.33	14.6
10 [2]	12	0.78	1.66	3.75	5.16	7.86	1.08	2.38	5.16	6.98	10.2	1.34	2.88	6.08	8.21	11.7	1.53	3.23	6.44	9.06	13.3
	16	0.20	1.03	3.13	4.50	7.11	0.43	1.67	4.45	6.24	9.60	0.66	2.12	5.29	7.39	11.7	0.83	2.46	5.65	8.20	13.3
	24			2.04	3.34	5.78		0.42	3.22	4.93	8.12		0.80	3.90	5.92	10.2		1.09	4.24	6.66	11.9
12 [3]	12		0.73	2.49	3.64	5.78	0.20	1.24	3.51	4.99	7.76	0.40	1.64	4.20	5.95	9.57	0.55	1.95	4.65	6.81	11.2
	16			1.82	2.91	4.95		0.47	2.76	4.19	6.83		0.81	3.35	5.04	8.59		1.08	3.75	5.82	10.2
	24			0.67	1.67	3.51			1.48	2.81	5.24			1.90	3.48	6.90			2.21	4.11	8.32
14 [3]	12			1.32	2.15	3.69		0.33	2.03	3.11	5.10		0.61	2.48	3.75	6.44		0.83	2.91	4.39	7.62
	16			0.73	1.50	2.93			1.37	2.38	4.27			1.72	2.93	5.54			2.06	3.48	6.65
	24				0.40	1.65			0.23	1.16	2.84			0.43	1.54	4.02			0.62	1.93	4.99
16 [3]	12			0.59	1.19	2.31			1.09	1.87	3.33			1.36	2.30	4.31			1.63	2.72	5.16
	16				0.62	1.64			0.50	1.23	2.58			0.69	1.57	3.51			0.88	1.91	4.30
	24					0.49				0.15	1.32				0.34	2.16			0.54	2.83	
Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.96	3.01	5.12	6.41	9.12	2.47	4.11	6.87	8.54	11.9	2.78	4.68	7.86	9.88	13.7	2.99	5.06	7.97	10.3	15.5
	16	1.51	2.56	5.03	6.41	9.12	1.97	3.58	6.87	8.54	11.9	2.27	4.14	7.86	9.88	13.7	2.48	4.52	7.97	10.3	15.5
	24	0.68	1.70	4.23	5.90	9.12	1.03	2.59	6.12	8.34	11.9	1.32	3.12	7.14	9.80	13.7	1.52	3.50	7.42	10.3	15.5
8 [2]	12	2.32	3.58	6.76	8.34	11.4	2.72	4.61	8.40	10.4	14.3	3.04	5.16	8.92	11.8	16.4	3.26	5.55	9.12	11.6	17.7
	16	1.78	3.02	6.45	8.34	11.4	2.17	4.01	8.40	10.4	14.3	2.48	4.55	8.92	11.8	16.4	2.70	4.96	9.12	11.6	17.7
	24	0.80	2.00	5.38	7.45	11.3	1.13	2.89	7.29	9.93	14.3	1.43	3.43	8.00	11.5	16.4	1.65	3.83	8.39	11.6	17.7
9 [2]	12	1.73	2.87	5.85	7.57	10.4	2.12	3.83	7.68	9.50	13.1	2.42	4.37	8.34	10.9	15.0	2.64	4.76	8.55	10.9	16.5
	16	1.13	2.25	5.21	7.09	10.4	1.48	3.14	7.00	9.40	13.1	1.78	3.67	7.82	10.9	15.0	1.99	4.06	8.22	10.9	16.5
	24		1.13	4.05	5.88	9.32	0.34	1.89	5.72	8.07	12.5	0.61	2.39	6.47	9.49	15.0	0.81	2.77	6.88	9.87	16.5
10 [2]	12	1.18	2.21	4.75	6.44	9.42	1.53	3.06	6.40	8.56	11.8	1.82	3.58	7.40	9.86	13.6	2.03	3.96	7.71	10.3	15.3
	16	0.55	1.54	4.09	5.74	8.90	0.85	2.31	5.65	7.78	11.8	1.12	2.81	6.58	9.12	13.6	1.32	3.18	6.91	9.81	15.3
	24		0.37	2.90	4.48	7.47		0.99	4.32	6.38	10.2		1.43	5.11	7.56	12.6		1.77	5.45	8.23	14.6
12 [3]	12	0.32	1.19	3.36	4.80	7.49	0.57	1.82	4.61	6.44	9.87	0.80	2.28	5.45	7.58	12.0	0.98	2.63	5.85	8.43	13.9
	16		0.44	2.61	3.98	6.55		0.98	3.77	5.54	8.84		1.39	4.51	6.58	10.9	0.16	1.71	4.89	7.37	12.8
	24			1.31	2.58	4.94			2.34	3.99	7.07			2.89	4.84	9.04		0.11	3.22	5.52	10.7
14 [3]	12		0.31	1.97	3.03	5.05		0.75	2.88	4.25	6.83		1.10	3.45	5.07	8.47		1.38	3.91	5.88	9.92
	16			1.27	2.28	4.17			2.10	3.41	5.86		0.22	2.58	4.12	7.44		0.44	2.96	4.83	8.81
	24				0.99	2.66			0.78	1.98	4.20			1.08	2.51	5.67			1.34	3.04	6.89
16 [3]	12			1.02	1.80	3.28			1.67	2.68	4.59		0.23	2.04	3.24	5.82		0.43	2.41	3.80	6.89
	16			0.40	1.13	2.49			0.97	1.93	3.72			1.26	2.39	4.89			1.53	2.86	5.88
	24					1.15			0.66	2.24					0.95	3.30			1.26	4.16	
Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.32	4.29	6.84	8.38	11.1	3.88	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	2.99	4.29	6.84	8.38	11.1	3.60	5.49	9.23	11.4	15.8	3.98	5.99	10.1	13.2	18.6	4.23	6.32	10.4	13.2	20.1
	24	2.30	3.65	6.84	8.38	11.1	2.86	4.97	9.23	11.4	15.8	3.22	5.61	10.1	13.2	18.6	3.48	6.06	10.4	13.2	20.1
8 [2]	12	3.88	5.06	8.76	10.8	14.8	4.23	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.46	5.06	8.76	10.8	14.8	3.92	6.01	10.8	13.4	18.5	4.26	6.43	11.2	14.5	21.1	4.49	6.72	11.4	14.5	22.2
	24	2.66	4.27	8.76	10.8	14.8	3.11	5.42	10.8	13.4	18.5	3.45	6.01	11.2	14.5	21.1	3.68	6.43	11.4	14.5	22.2
9 [2]	12	3.39	4.86	8.24	10.2	13.9	3.87	5.85	10.4	12.8	17.6	4.21	6.28	10.8	14.1	20.2	4.44	6.57	11.0	14.0	21.4
	16	2.89	4.42	8.24	10.2	13.9	3.36	5.61	10.4	12.8	17.6	3.70	6.20	10.8	14.1	20.2	3.94	6.57	11.0	14.0	21.4
	24	1.94	3.46	7.91	10.2	13.9	2.38	4.59	10.4	12.8	17.6	2.72	5.18	10.8	14.1	20.2	2.96	5.60	11.0	14.0	21.4
10 [2]	12	2.88	4.32	7.69	9.51	13.0	3.37	5.55	9.81	12.1	16.7	3.72	6.11	10.4	13.5	19.3	3.95	6.41	10.6	13.5	20.6
	16	2.31	3.74	7.69	9.51	13.0	2.77	4.92	9.81	12.1	16.7	3.11	5.51	10.4	13.5	19.3	3.35	5.93	10.6	13.5	20.6
	24	1.23	2.65	6.69	9.14	13.0	1.64	3.72													

COMBINED AXIAL TABLE / 40 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi			50 ksi		33 ksi			50 ksi		33 ksi			50 ksi		33 ksi			50 ksi	
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.36	2.28	4.34	5.55	7.94	1.79	3.22	6.00	7.47	10.4	2.07	3.76	6.95	8.63	12.0	2.27	4.12	7.11	9.29	13.5
	16	0.87	1.78	3.88	5.34	7.94	1.24	2.63	5.60	7.47	10.4	1.50	3.15	6.61	8.63	12.0	1.70	3.51	6.91	9.29	13.5
	24		0.86	3.02	4.44	7.26		1.55	4.59	6.50	10.2	0.45	2.02	5.47	7.70	12.0	0.63	2.36	5.79	8.49	13.5
8 [2]	12	1.62	2.73	5.66	7.35	10.1	1.99	3.66	7.50	9.26	12.7	2.28	4.19	8.10	10.7	14.6	2.50	4.58	8.30	10.6	16.1
	16	1.04	2.12	5.03	6.84	10.1	1.37	2.98	6.80	9.13	12.7	1.65	3.50	7.56	10.7	14.6	1.86	3.89	7.95	10.6	16.1
	24		1.01	3.88	5.64	8.91	0.24	1.75	5.52	7.81	12.1	0.50	2.23	6.23	9.22	14.6	0.69	2.61	6.62	9.51	16.1
9 [2]	12	1.03	2.02	4.50	6.12	9.04	1.36	2.84	6.10	8.18	11.4	1.64	3.34	7.02	9.59	13.2	1.84	3.72	7.35	9.94	14.9
	16	0.41	1.36	3.83	5.41	8.38	0.68	2.09	5.35	7.40	11.2	0.94	2.57	6.21	8.72	13.2	1.13	2.94	6.55	9.34	14.9
	24		0.19	2.64	4.14	6.95		0.76	4.01	5.99	9.66		1.19	4.74	7.15	12.0		1.52	5.08	7.76	14.0
10 [2]	12	0.52	1.38	3.48	4.87	7.53	0.80	2.07	4.85	6.66	10.1	1.04	2.55	5.73	7.85	11.7	1.22	2.90	6.09	8.69	13.3
	16		0.70	2.80	4.15	6.71		1.29	4.08	5.85	9.16	0.30	1.72	4.87	6.94	11.2	0.46	2.05	5.23	7.74	13.1
	24			1.62	2.89	5.25			2.74	4.42	7.53		0.28	3.36	5.35	9.54		0.56	3.69	6.05	11.3
12 [3]	12		0.43	2.19	3.32	5.41		0.90	3.18	4.64	7.35		1.27	3.82	5.55	9.14	0.20	1.56	4.25	6.37	10.7
	16			1.47	2.53	4.51			2.37	3.77	6.35		0.38	2.91	4.57	8.08		0.63	3.28	5.30	9.59
	24			0.24	1.20	2.96			1.00	2.28	4.63			1.35	2.89	6.25			1.63	3.46	7.62
14 [3]	12			1.06	1.86	3.35			1.74	2.79	4.73		0.25	2.14	3.39	6.04		0.45	2.53	3.99	7.19
	16			0.42	1.16	2.54			1.02	2.01	3.83			1.32	2.51	5.08			1.62	3.01	6.15
	24				1.16				0.69	2.30					1.01	3.44				1.34	4.36
16 [3]	12			0.36	0.94	2.01			0.82	1.59	3.00			1.06	1.98	3.96			1.29	2.36	4.78
	16				0.32	1.29			0.19	0.90	2.20			0.34	1.20	3.10			0.49	1.50	3.85
	24									0.84					1.65					2.27	

Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi			50 ksi		33 ksi			50 ksi		33 ksi			50 ksi		33 ksi			50 ksi	
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.77	2.81	5.12	6.41	9.12	2.25	3.88	6.87	8.54	11.9	2.56	4.44	7.86	9.88	13.7	2.77	4.83	7.97	10.3	15.5
	16	1.27	2.31	4.79	6.41	9.12	1.69	3.29	6.78	8.54	11.9	1.99	3.84	7.86	9.88	13.7	2.20	4.22	7.97	10.3	15.5
	24	0.35	1.36	3.90	5.57	8.86	0.66	2.19	5.74	7.95	11.9	0.93	2.71	6.72	9.37	13.7	1.13	3.08	7.01	10.0	15.5
8 [2]	12	2.09	3.34	6.76	8.34	11.4	2.48	4.35	8.40	10.4	14.3	2.79	4.89	8.92	11.8	16.4	3.02	5.29	9.12	11.6	17.7
	16	1.49	2.72	6.14	8.23	11.4	1.86	3.68	8.11	10.4	14.3	2.17	4.22	8.83	11.8	16.4	2.39	4.62	9.12	11.6	17.7
	24	0.40	1.59	4.95	7.01	10.8	0.72	2.44	6.82	9.44	14.3	1.01	2.97	7.52	10.9	16.4	1.23	3.37	7.91	11.1	17.7
9 [2]	12	1.47	2.60	5.57	7.47	10.4	1.84	3.53	7.40	9.50	13.1	2.14	4.06	8.23	10.9	15.0	2.36	4.46	8.55	10.9	16.5
	16	0.81	1.92	4.87	6.73	10.3	1.14	2.77	6.62	9.01	13.1	1.43	3.29	7.42	10.5	15.0	1.64	3.68	7.83	10.9	16.5
	24		0.69	3.60	5.40	8.78		1.40	5.22	7.54	11.9	0.15	1.88	5.94	8.90	14.5	0.33	2.25	6.34	9.30	16.5
10 [2]	12	0.90	1.91	4.46	6.14	9.34	1.23	2.73	6.07	8.22	11.8	1.51	3.24	7.04	9.61	13.6	1.72	3.62	7.36	10.3	15.3
	16	0.22	1.19	3.73	5.36	8.47	0.49	1.91	5.25	7.36	11.3	0.74	2.40	6.14	8.66	13.6	0.93	2.76	6.47	9.34	15.3
	24			2.44	3.99	6.91		0.47	3.80	5.83	9.62		0.89	4.54	6.95	11.9		1.22	4.87	7.60	14.0
12 [3]	12		0.86	3.03	4.44	7.07	0.23	1.45	4.24	6.04	9.42	0.45	1.89	5.03	7.14	11.5	0.62	2.22	5.43	7.97	13.4
	16			2.21	3.55	6.06		0.55	3.34	5.07	8.31		0.93	4.02	6.05	10.3		1.23	4.38	6.81	12.1
	24			0.82	2.04	4.32			1.79	3.40	6.39			2.27	4.17	8.31			2.58	4.81	9.95
14 [3]	12			1.66	2.70	4.65		0.39	2.53	3.88	6.40		0.71	3.06	4.65	8.01		0.96	3.49	5.42	9.43
	16			0.91	1.88	3.71			1.70	2.97	5.35			2.12	3.63	6.90			2.47	4.29	8.23
	24			0.50	2.09				0.28	1.44	3.57			0.52	1.89	4.99			0.73	2.36	6.16
16 [3]	12			0.74	1.50	2.93			1.36	2.35	4.20			1.69	2.86	5.40			2.02	3.38	6.44
	16				0.78	2.08			0.62	1.54	3.26			0.85	1.95	4.40			1.08	2.37	5.35
	24				0.64				0.18	1.67				0.41	2.70				0.65	3.50	

Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi			50 ksi		33 ksi			50 ksi		33 ksi			50 ksi		33 ksi			50 ksi	
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	3.19	4.29	6.84	8.38	11.1	3.82	5.49	9.23	11.4	15.8	4.17	5.99	10.1	13.2	18.6	4.35	6.32	10.4	13.2	20.1
	16	2.79	4.13	6.84	8.38	11.1	3.39	5.49	9.23	11.4	15.8	3.76	5.99	10.1	13.2	18.6	4.01	6.32	10.4	13.2	20.1
	24	2.02	3.36	6.84	8.38	11.1	2.55	4.65	9.23	11.4	15.8	2.91	5.29	10.1	13.2	18.6	3.16	5.73	10.4	13.2	20.1
8 [2]	12	3.70	5.06	8.76	10.8	14.8	4.16	6.01	10.8	13.4	18.5	4.47	6.43	11.2	14.5	21.1	4.62	6.72	11.4	14.5	22.2
	16	3.23	4.84	8.76	10.8	14.8	3.69	6.01	10.8	13.4	18.5	4.02	6.43	11.2	14.5	21.1	4.26	6.72	11.4	14.5	22.2
	24	2.33	3.94	8.76	10.8	14.8	2.77	5.07	10.8	13.4	18.5	3.11	5.66	11.2	14.5	21.1	3.35	6.08	11.4	14.5	22.2
9 [2]	12	3.17	4.70	8.24	10.2	13.9	3.65	5.85	10.4	12.8	17.6	3.99	6.28	10.8	14.1	20.2	4.22	6.57	11.0	14.0	21.4
	16	2.61	4.14	8.24	10.2	13.9	3.08	5.31	10.4	12.8	17.6	3.41	5.90	10.8	14.1	20.2	3.65	6.32	11.0	14.0	21.4
	24	1.55	3.06	7.51	10.1	13.9	1.97	4.17	10.1	12.8	17.6	2.31	4.75	10.7	14.1	20.2	2.55	5.18	11.0	14.0	21.4
10 [2]	12	2.63	4.07	7.69	9.51	13.0	3.11	5.27	9.81	12.1	16.7	3.45	5.87	10.4	13.5	19.3	3.69	6.29	10.6	13.5	20.6
	16	1.99	3.42	7.48	9.51	13.0	2.44	4.57	9.81	12.1	16.7	2.78	5.16	10.4	13.5	19.3	3.02	5.58	10.6	13.5	20.6
	24	0.79	2.20	6.24	8.67	13.0	1.17	3.23	8.64	11.8	16.7	1.49	3.81	9.34	13.3	19.3	1.73	4.23	9.7		

COMBINED AXIAL TABLE / 50 PSF LATERAL LOAD

Wall Height (ft)	Spacing (in.) o.c.	362JR162-(mils)					362JR200-(mils)					362JR250-(mils)					362JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	0.99	1.90	3.99	5.45	7.94	1.37	2.78	5.74	7.47	10.4	1.64	3.30	6.75	8.63	12.0	1.84	3.66	7.06	9.29	13.5
	16	0.42	1.31	3.44	4.88	7.76	0.71	2.08	5.08	7.01	10.4	0.97	2.57	6.03	8.27	12.0	1.15	2.92	6.34	9.08	13.5
	24		0.22	2.42	3.81	6.54		0.80	3.88	5.76	9.33		1.24	4.68	6.89	11.5		1.56	5.00	7.64	13.3
8 [2]	12	1.18	2.27	5.18	7.00	10.1	1.52	3.15	6.97	9.26	12.7	1.81	3.67	7.74	10.7	14.6	2.02	4.05	8.12	10.6	16.1
	16	0.49	1.55	4.44	6.23	9.56	0.79	2.35	6.14	8.45	12.7	1.06	2.85	6.88	9.94	14.6	1.26	3.23	7.27	10.2	16.1
	24		0.26	3.09	4.81	7.99		0.90	4.65	6.89	11.1		1.36	5.31	8.21	13.6		1.72	5.70	8.54	15.6
9 [2]	12	0.56	1.52	3.99	5.58	8.57	0.85	2.27	5.53	7.59	11.4	1.11	2.76	6.40	8.93	13.2	1.30	3.13	6.74	9.55	14.9
	16		0.75	3.21	4.76	7.64		1.40	4.66	6.67	10.4	0.29	1.86	5.45	7.91	12.8	0.47	2.21	5.79	8.52	14.9
	24			1.84	3.29	5.98			3.11	5.03	8.58		0.26	3.75	6.09	10.9		0.56	4.08	6.67	12.8
10 [2]	12		0.86	2.97	4.33	6.91	0.26	1.48	4.26	6.04	9.38	0.48	1.92	5.08	7.16	11.5	0.65	2.26	5.44	7.97	13.3
	16			2.19	3.50	5.96		0.59	3.38	5.10	8.32		0.98	4.09	6.12	10.4		1.28	4.43	6.87	12.2
	24			0.84	2.04	4.28			1.85	3.47	6.45			2.36	4.28	8.41			2.66	4.92	10.1
12 [3]	12			1.64	2.72	4.72		0.27	2.56	3.97	6.59		0.59	3.12	4.80	8.33		0.85	3.51	5.56	9.87
	16			0.82	1.84	3.70			1.65	2.99	5.45			2.09	3.69	7.12			2.42	4.34	8.56
	24				0.33	1.96			0.11	1.32	3.52			0.34	1.80	5.05			0.54	2.26	6.32
14 [3]	12			0.57	1.33	2.73			1.19	2.19	4.05			1.52	2.72	5.31			1.84	3.24	6.40
	16				0.54	1.82			0.38	1.32	3.03			0.60	1.73	4.22			0.81	2.13	5.21
	24					0.27				1.31					2.37				0.26	3.20	
16 [3]	12				0.46	1.46			0.34	1.06	2.39			0.51	1.38	3.30			0.68	1.70	4.07
	16					0.64				0.29	1.49				0.50	2.34			0.72	3.02	
	24														0.70					1.24	

Wall Height (ft)	Spacing (in.) o.c.	400JR162-(mils)					400JR200-(mils)					400JR250-(mils)					400JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	1.39	2.43	4.91	6.41	9.12	1.83	3.44	6.87	8.54	11.9	2.13	3.99	7.86	9.88	13.7	2.34	4.37	7.97	10.3	15.5
	16	0.79	1.82	4.34	6.02	9.12	1.16	2.73	6.25	8.47	11.9	1.45	3.26	7.29	9.88	13.7	1.66	3.64	7.56	10.3	15.5
	24		0.69	3.27	4.91	8.12		1.42	5.00	7.20	11.4	0.19	1.91	5.91	8.53	13.7	0.38	2.28	6.21	9.17	15.5
8 [2]	12	1.64	2.87	6.29	8.34	11.4	2.01	3.84	8.29	10.4	14.3	2.32	4.39	8.92	11.8	16.4	2.55	4.79	9.12	11.6	17.7
	16	0.93	2.14	5.53	7.61	11.4	1.27	3.05	7.45	10.1	14.3	1.57	3.58	8.16	11.6	16.4	1.80	3.98	8.55	11.6	17.7
	24		0.81	4.13	6.15	9.91		1.58	5.93	8.52	13.3	0.21	2.09	6.59	9.92	16.2	0.41	2.48	6.99	10.1	17.7
9 [2]	12	0.97	2.08	5.04	6.91	10.4	1.31	2.96	6.81	9.21	13.1	1.60	3.48	7.62	10.7	15.0	1.82	3.87	8.02	10.9	16.5
	16	0.21	1.28	4.21	6.05	9.50	0.50	2.06	5.90	8.26	12.7	0.77	2.57	6.66	9.69	15.0	0.97	2.95	7.07	10.1	16.5
	24			2.74	4.49	7.76		0.47	4.26	6.54	10.8		0.92	4.92	7.78	13.4		1.26	5.32	8.21	15.3
10 [2]	12	0.39	1.37	3.91	5.55	8.68	0.67	2.11	5.45	7.57	11.6	0.93	2.60	6.36	8.89	13.6	1.12	2.97	6.69	9.57	15.3
	16		0.53	3.06	4.65	7.66		1.17	4.50	6.57	10.5		1.62	5.31	7.77	12.8	0.21	1.96	5.65	8.44	14.9
	24			1.57	3.06	5.85			2.83	4.80	8.45			3.46	5.80	10.7		0.17	3.78	6.42	12.7
12 [3]	12		0.24	2.41	3.76	6.30		0.76	3.55	5.30	8.57		1.16	4.26	6.31	10.6		1.46	4.63	7.09	12.4
	16			1.48	2.77	5.15			2.53	4.20	7.30			3.11	5.07	9.29		0.33	3.44	5.77	11.0
	24				1.06	3.17			0.78	2.31	5.13			1.14	2.95	6.98			1.40	3.50	8.51
14 [3]	12			1.09	2.08	3.93			1.90	3.19	5.60			2.34	3.87	7.16		0.20	2.71	4.56	8.51
	16			0.24	1.16	2.86			0.96	2.17	4.42			1.28	2.72	5.90			1.56	3.28	7.15
	24					1.04				0.44	2.41				0.76	3.75				1.11	4.81
16 [3]	12			0.24	0.95	2.28			0.79	1.73	3.49			1.05	2.17	4.64			1.30	2.61	5.61
	16				0.13	1.32				0.83	2.43			0.11	1.14	3.51			0.25	1.47	4.38
	24									0.64					1.59					2.29	

Wall Height (ft)	Spacing (in.) o.c.	600JR162-(mils)					600JR200-(mils)					600JR250-(mils)					600JR300-(mils)				
		33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi			33 ksi		50 ksi		
		33	43	54	68	97	33	43	54	68	97	33	43	54	68	97	33	43	54	68	97
8 [1]	12	2.89	4.22	6.84	8.38	11.1	3.50	5.49	9.23	11.4	15.8	3.87	5.99	10.1	13.2	18.6	4.12	6.32	10.4	13.2	20.1
	16	2.40	3.74	6.84	8.38	11.1	2.96	5.08	9.23	11.4	15.8	3.33	5.72	10.1	13.2	18.6	3.58	6.17	10.4	13.2	20.1
	24	1.45	2.81	6.42	8.38	11.1	1.93	4.02	9.18	11.4	15.8	2.28	4.65	10.1	13.2	18.6	2.53	5.09	10.4	13.2	20.1
8 [2]	12	3.35	4.95	8.76	10.8	14.8	3.80	6.01	10.8	13.4	18.5	4.14	6.43	11.2	14.5	21.1	4.37	6.72	11.4	14.5	22.2
	16	2.77	4.38	8.76	10.8	14.8	3.22	5.54	10.8	13.4	18.5	3.56	6.13	11.2	14.5	21.1	3.80	6.54	11.4	14.5	22.2
	24	1.68	3.28	8.12	10.8	14.8	2.10	4.38	10.7	13.4	18.5	2.44	4.97	11.2	14.5	21.1	2.68	5.39	11.4	14.5	22.2
9 [2]	12	2.75	4.28	8.24	10.2	13.9	3.22	5.46	10.4	12.8	17.6	3.56	6.05	10.8	14.1	20.2	3.79	6.47	11.0	14.0	21.4
	16	2.07	3.60	8.05	10.2	13.9	2.52	4.73	10.4	12.8	17.6	2.85	5.32	10.8	14.1	20.2	3.09	5.75	11.0	14.0	21.4
	24	0.79	2.29	6.72	9.33	13.9	1.19	3.34	9.19	12.5	17.6	1.51	3.92	9.78	13.9	20.2	1.75	4.35	10.2	14.0	21.4
10 [2]	12	2.15	3.58	7.64	9.51	13.0	2.61	4.74	9.81	12.1	16.7	2.94	5.33	10.4	13.5	19.3	3.18	5.76	10.6	13.5	20.6
	16	1.38	2.80	6.85	9.29	13.0	1.79	3.89	9.32	12.1	16.7	2.12	4.47	10.0	13.5	19.3	2.36	4.90	10.4	13.5	20.6
	24		1.33	5.35	7.78	12.2	0.28	2.28	7.66	10.8	16.7	0.58	2.84	8.33	12.2	19.3	0.81	3.26	8.75	12.5	20.6
12 [3]	12	1.09	2.47	6.44	8.87	13.3	1.46	3.45	8.56	11.6	16.4	1.77	4.00	9.24	13.1	18.8	2.00	4.41	9.65	13.2	20.0
	16	0.11	1.44	5.34	7.74	12.2															